WHOLESALE PRICE LIST

With the Compliments of

Reid Bros Ltd

HAROLD E. REID.
Managing Director.

TIMBER MERCHANTS.

HEAD OFFICE AND YARDS
NEW DOCK PT ADELAIDE.

PHONE PORT 2039 - 5 LINES.

Since we profit through serving others,
We must serve well in order to profit well

THE MONTH OF JULY

ORDERS WILL BE APPRECIATED

July 1, 1926.

TERMS.

To avoid delay or misunderstanding, FIRST ORDERS should be accompanied by the usual business references or remittance to cover amount of order.

DISCOUNT.

2½ per cent. will be allowed on Accounts paid within 30 days, excepting those items specially marked Nett, but it must be distinctly understood that the Terms of Sale are for Cash, and even where Customers may have been in the habit of receiving 30 days credit, we reserve the right to demand cash at any time, after the delivery of the goods.

After 30 days no discount will be allowed.

AFTER HOURS RING:—

For Orders—J. B. Walker.	Semaphore	232.
„ J. Biglands.	Central	8842.
Mill Foreman (Residence).	Semaphore	427.
Manager (Residence)—	Central	5452.

REID BROS. LIMITED

17 FLINDERS STREET (near G.P.O.)

'Phone—PORT 2039 (Five lines).

WHOLESALE PRICE LIST.

CEMENT.

(BEST BRANDS).

PRICES AT OUR PORT YARD.

75 Bags or over	7/6	per bag
41 to 74 Bags	7/9	per bag
21 to 40 Bags	7/10	per bag
11 to 20 Bags	7/11	per bag
1 to 10 Bags	8/	per bag

Truck Lots, 75 bags, 2d. per bag reduction.

WIRE NAILS.

WE CARRY LARGE STOCKS
AND SUPPLY AT LOWEST RATES.

SEE PRICES, PAGE 30.

FIBROUS PLASTER.

WE ARE SUPPLIERS OF FIRST QUALITY FIBROUS PLASTER AND CARRY A LARGE STOCK OF ALL SIZES.

Our Joinery Work is recognised by Architects as the best that is made.

ORDERS WILL BE APPRECIATED

July 1, 1926.

TERMS

JOINERY.

TO SAVE DELAY, PLACE YOUR ORDERS AS SOON AS YOU DECIDE TO BUILD

Mill Foreman (Residence). Semaphore

Manager (Residence)— Central 5452.

REID BROS. LIMITED

17 FLINDERS STREET (near G.P.O.)
'Phone—PORT 2039 (Five lines).

WHOLESALE PRICE LIST.

(These Prices are subject to alteration without notice, and are for delivery at our yards.)

ALL PREVIOUS PRICE LISTS CANCELLED.

JULY, 1926.

	PORT. s. d.	TOWN. s. d.
DEALS: Baltic — In the Solid—		
Up to 20 Deals—		
11 x 3, 9 x 4, per 100 super	65 0	67 6
9 x 3, 9 x 2, per 100 super	55 0	57 6
8 x 3, and under	50 0	52 6
For parcels, 20 Deals or over (special prices).		
Sawing extra on any size other than above.		
Scantling sizes, not exceeding 12 in. sectional measurements, width limited to 9 in., per 100 ft. super	60 0	62 6
FLOORING: Baltic—	s. d.	s. d.
Per 100 ft. run—		
6 x $\frac{3}{4}$	20 3	21 0
6 x $\frac{7}{8}$	21 6	21 6
6 x $1\frac{1}{8}$	30 0	30 9
6 x $\frac{3}{4}$, special price for parcels of 1,600 ft., 1/6 less.		
6 x $\frac{7}{8}$, special price for parcels of 1,600 ft., 1/6 less.		
6 x $1\frac{1}{8}$, special price for parcels of 1,600 ft., 2/6 less.		
For parcels of 5,000, special rates.		
FLOORING: Jarrah—		
Per 100 ft. run—		
$3\frac{1}{2}$ x $\frac{7}{8}$	25 6	26 3
$4\frac{1}{2}$ x $\frac{7}{8}$	31 0	31 9
$5\frac{1}{2}$ x $\frac{7}{8}$	37 0	37 9

Our Joinery Work is recognised by Architects as the best that is made.

ORDERS WILL BE APPRECIATED

July 1, 1926.

Lengths—	PORT. Up to 16 ft.	PORT. Over 16 ft.	TOWN. Up to 16 ft.	TOWN. Over 16 ft.
HARDWOOD: V.D.L.—				
100 ft. super, all sizes—				
For market quality ..	34 0	34 0	36 6	36 6
For wheelwrights' qual.	37 0	38 0	39 6	40 6

Special prices for large parcels.

These prices are for sizes up to 6 x 3. Over 6 x 3, 1/ 100 super extra.

Sizes under 3 x 2, except 3 x 1 and 2 x 2, 2/ per 100 super extra.

KAURI PINE AND HOOP PINE—	s. d.	s. d.
For parcels up to 500 ft. super—		
12 to 14 in. x 1 in. and up to to 3 in., per super ft.	1 0½	1 0½
15 to 16 in. x 1 in. and up to 3 in., per super ft.	1 1	1 1½
18 in. and over x 1 in.	1 6	1 6¼

18 in. and over in original boards, 3d. ft. less.

For parcels 500 ft. super or over, special prices.

JARRAH— Per 100 ft. super—	PORT. Up to	PORT. 18 to	TOWN. Up to	TOWN. 18 to
3 x 1, 3 x 1½, 3 x 2 ..	43 6	45 0	46 0	47 6
3 x 3, 4 x 1½, 4 x 2, 4 x 3	47 0	48 6	49 6	51 0
5 x 2, 5 x 3, 6 x 2, 6 x 3,	47 6	49 0	50 0	51 6
4 x 4, 5 x 4, 6 x 4	50 0	52 0	52 6	54 6
5 x 5, 7 x 2, 7 x 3 8 x 1½, 8 x 2 .... 6 x 6, 9 x 1½, 9 x 2, 8 x 3, 9 x 4, 9 x 3 ..	52 0	54 0	54 6	56 6
8 x 6, 9 x 4, 9 x 5, 9 x 6	55 0	57 0	57 6	59 6

Customers visiting our Mills are driven to and from Railway Station. Ring Port 2039.

REID BROS., LIMITED

17 FLINDERS STREET (near G.P.O.)

'Phone—PORT 2039 (Five lines).

JARRAH—Continued.

	PORT. Up to 17 ft.	PORT. 18 to 23 ft.	TOWN. Up to 17 ft.	TOWN. 18 to 23 ft.
10 x 2, 10 x 3, 10 x 4, 10 x 5, 10 x 6, 12 x 2, 12 x 3	57 0	59 3	59 6	61 9
7 x 7, 8 x 8, 9 x 8, 9 x 9, 10 x 8, 10 x 9, 10 x 10, 12 x 4, 12 x 5, 12 x 6	59 6	61 3	62 0	63 9

For lengths of 24 to 30 ft., 2/ per 100 ft. super additional.
For lengths of 31 to 35 ft., 4/ per 100 ft. super extra on the 30 ft. rates.

Note.—If Jarrah ordered planed, 2/ per 100 ft. super extra.

	PORT.	TOWN.
Preparing Jarrah Sills and Nosing, 50 ft. and upwards, per 100 ft. super	5 0	5 0

No lengths exceeding the maximum are quoted under maximum prices, and in no case is less than 66/6 at Port Adelaide quoted for lengths of 35 ft. or over of any width.

Any sizes ordered other than stock sizes (as mentioned above), sawing to be charged extra, as under:—

Circular, up to 12 in., per 100 ft. super ..	6 0
Frame, up to 12 in., per 100 ft. super ..	6 0

KARRI—Per 100 ft. super for length up to 25 ft.—

3 x 2, 3½ x 2½, 4 x 2, 4 x 3, 5 x 2, 5 x 3, 6 x 2, 6 x 3	35 0	37 6
4 x 4, 5 x 4, 5 x 5, 6 x 4	40 0	42 6
6 x 6	42 0	44 6

For parcels of 5,000 super, 1/ 100 super less.

LATHS—

Sawn Colonial, 4 ft. and 4 ft. 6 in., per 1,000	65 0	67 0
Sawn American, 4 ft. 6 in., per 1,000	85 0	87 0

JARRAH FLOORING, Seasoned, 4½ x ⅞.
Large Stocks, A1 Quality.

ORDERS WILL BE APPRECIATED

July 1, 1926.

MATCHBOARDS: Baltic—Per 100 ft. run—

	PORT.	TOWN.
6 x ⅜, up to 2,000 ft.	11 0	11 6
6 x ⅝, up to 2,000 ft.	16 0	16 6
6 x ⅜—For 2,000 ft. parcels, 1/6 per 100 ft. less.		
6 x ½, up to 1,000 ft.	14 6	15 0
6 x ½, 1,000 to 2,000 ft.	13 9	14 3
6 x ½, 2,000 to 5,000 ft.	12 9	13 3

Over 5,000 ft. exempt.

OREGON—	PORT. s. d.	TOWN. s. d.
Sizes from 2 x 2, and upwards (including 3 to 11 x 1), width limited to 12 inches, and not less than 1¼ inches thick, up to and including 30 ft. in length, per 100 super	32 0	34 0
Do., from 31 ft. to 40 ft., per 100 ft. super	34 0	36 0
⅜ in. thick, up to and including 30 ft. in length, at per 100 ft. super on face	23 0	23 10
½ in. thick, up to and including 30 ft. in length, at per 100 ft. super on face	24 6	25 6
⅝ in. thick, up to and including 30 ft. in length, at per 100 ft. super on face	30 6	31 6
¾ in. thick, up to and including 30 ft. face	30 6	31 6
From 41 ft. to 50 ft. in length, per ft. cube	6 0	6 1

Sizes under 2 x 2, 1/ per 100 ft. super extra.
Selected Oregon, 7/6 on schedule rates.
Joiners' Oregon, 12/6 on schedule rates.
14 in., 1/ per 100 ft. super extra.

CEMENT—Order from us.

REID BROS., LIMITED

17 FLINDERS STREET (near G.P.O.)
'Phone—PORT 2039 (Five lines).

PORT. TOWN.

Reduced Prices will be made as follows:

On—

Red Pine
Door Stock — For parcels of 3,000 super.

On—

Yellow Pine
Australian Oak
White Pine
Hoop Pine
Kauri Pine
} For parcels of 500 super.

On—

Baltic Deals—For parcels of 20 Deals.
Jarrah and Karri—For parcels of 10,000 super.
Oregon—For parcels of 15,000 super.

Baltic Flooring
Matchboard
} For parcels of 5,000 lineal.

Jarrah Flooring, for parcels of 10,000 lineal

Write for prices to

REID BROS., Ltd.,

Box 299,
G.P.O., Adelaide.

5/6 100 super extra.

We can now supply Joiners' Oregon of the Best Grade—as clear as Yellow Pine.

ORDERS WILL BE APPRECIATED

July 1, 1926.

MATCHBOARDS: Baltic—Per 100 ft. run—

6 x ⅝, up
6 x ⅝, up
6 x ⅝—For
6 x ½, up
6 x ½, 1,0
6 x ½, 2,00
Over 5

OREGON—
Sizes from
cluding 3
to 12 inc
inches th
ft. in le
Do., from
super
⅜ in. thick,
in length
face
½ in. thick,
in length
face
⅝ in. thick,
in length,
face
¾ in. thick,
face
From 41 ft.
ft. cube
Sizes under
Selected Ore
Joiners' Ore
14 in., 1/ per 100 ft. super extra.

CEMENT—Order from us.

REID BROS., LIMITED

17 FLINDERS STREET (near G.P.O.)
'Phone—PORT 2039 (Five lines).

	PORT.	TOWN.
EGON—Per 100 super.		
x 1 Boards	36 6	38 6
x 1 Boards	37 6	39 6
LINGS—		
launceston, 5 ft., per 100	42 0	44 3
launceston, 6 ft., per 100	55 0	57 0
rrah, 6 ft. 6 in. x ½ in.	59 6	62 6
rrah, 5 ft. 6 in. x ½ in.	51 6	53 9
rrah, 5 ft. 6 in. x ⅜ in.	41 0	43 3
rrah, 6 ft. 6 in. x ⅜ in.	48 6	51 0

alings, lots of 1,000 to 2,000, 1/6 100 less.
alings, lots of 2,000 and over, exempt.

IE: Red (Green)—For parcels up to 500 super ft.—

nder 8 ft. actual measurement over 8 ft., even feet to be supplied only.

oards, 1 in. and up in thickness, per 100 ft. super	68 0	70 6
oards, ½ in. in thickness, per ft. super on face	0 6	0 6½
oards, ¾ in. in thickness, per ft. super on face	0 8	0 8½

D PINE: For parcels 500 to 1,000 super feet, under 8 ft. actual measurement, over 8 ft. even feet to be supplied only—

oards, 1 in. and up in thickness, per 100 ft. super	65 0	67 6
oards, ½ in. in thickness, per ft. super on face	0 5⅞	0 6⅛
oards, ¾ in. in thickness, per ft. super on face	0 7⅛	0 8
or parcels 1,000 to 3,000 ft.	60 0	62 6

pecial prices for large quantities. Dry or kiln dried, 5/6 100 super extra.

We can now supply Joiners' Oregon of the Best Grade—as clear as Yellow Pine.

ORDERS WILL BE APPRECIATED

July 1, 1926.

	PORT	TOWN.
PINE: Yellow—		
Boards, 1 to 2 in., per ft. super ..	0 8½	0 8½
Boards, ½ in., per ft. super on face	0 6½	0 6½
Boards, ¾ in., per ft. super on face ..	0 7½	0 8
For 1 in Boards and up, 1-16d. per inch in width; over 12 in. and up to 18 in.		
Special prices for parcels of 500 super.		
PLANING—		
Deal, Oregon, Spruce, Kauri, Cedar, and all other Soft Wood, per 100 super ft. of face planed	4 0	4 0
Jarrah, V.D.L., Blackwood, and all other Hardwood, per 100 super ft. of face planed	6 0	6 0
Laths, Trellis, and Soffit Battens, per 100 ft. run	1 0	1 0
POSTS: Jarrah—		
7 ft. x 6 in. x 3 in., each	4 0½	4 2½
7 ft. x 5 in. x 3 in., each	3 4	3 6
6 ft. 6 in. x 6 in. x 3 in., each	3 9	3 11
6 ft. 6 in. x 5 in. x 3 in., each	3 1½	3 3½
In lots of 75 and over, 1½d. each less.		

SAWING—	PORT or TOWN.
Deals, per 100 ft. super	5 0
Flitches, 12 to 20 in., per 100 ft. super	6 0
Softwoods, Circular, per 100 ft. super ..	5 0
Softwoods, Frame, up to 16 in., per 100 ft. super	6 0
Softwoods, Frame, over 16 in., per 100 ft. super	7 0
Hardwoods, Circular, up to 12 in., per 100 ft. super	6 0
Hardwoods, Frame, up to 12 in., per 100 ft. super	6 0
Diagonal or sloping cuts are charged for at 6/ per 100 super feet of actual sawing.	
Secondhand Timber, per 100 super feet, 8/.	

Our White Pine is specially selected, and thoroughly seasoned in New Zealand, hence its bright finish when dressed.

REID BROS., LIMITED

17 FLINDERS STREET (near G.P.O.)

'Phone—PORT 2039 (Five lines).

SAWN SHAFTS: Stringy Bark—

	Per Pair.
3 x 2, 10 ft.	6 6
3 x 2½ and 3 x 2½, 10 ft.	7 6
3½ x 2½, 4 x 2½, and 4 x 3, 8 ft. 6 in. and 9 ft.	9 6
4 x 3, 8 ft.	8 6
3½ x 2½ and 4 x 3, 10 ft.	10 6
4 x 3½ and 4 x 4, 10 ft.	13 0

VERANDAH POSTS (Turned)—

	Jarrah.		Red Pine.	
	5 x 5	4 x 4	5 x 5	4 x 4
	s. d.	s. d.	s. d.	s. d.
8 ft.	14 0	10 9	19 0	13 6
8 ft. 6 in.	14 3	11 0	20 0	13 6
9 ft.	14 9	11 6	21 0	14 0
9 ft. 6 in.	15 6	12 3	22 0	15 0
10 ft.	15 9	12 7	23 0	15 6

Any intermediate sizes, all lengths, next higher rate.

WEATHERBOARDS: Jarrah—

Per 100 ft. run—	PORT.		TOWN.	
	Rough.	Planed.	Rough.	Planed.
6 in.	21 6	23 6	22 3	24 3
7 in.	23 6	25 6	24 3	26 3

If rebated, 2/ per 100 ft. run extra.

WEATHERBOARDS: Baltic—

Per 100 ft. run	15 6	16 0
For parcels of 1,000 ft. or over	14 0	14 6

OAK: Australian—

For parcels up to 500 super—	PORT or TOWN.
Up to 8 x 1 and up, per ft. super	0 9
9 and 10 x 1, and up, per ft. super	0 9½
11 and 12 x 1, and up, per ft. super	0 10½
Over 12 x 1, and up, per ft. super	0 11½

For parcels 500 super or over, special prices.

Customers visiting our Mills are driven to and from Railway Station. Ring Port 2039.

ORDERS WILL BE APPRECIATED

July 1, 1926.

WHITE PINE—	PORT. s. d.	TOWN. s. d.
Parcels up to 500 super—		
Up to and including 6 x 1, per 100 super	57 6	59 6
Over 6 in. and up to 8 x 1	62 6	64 6
9 and 10 x 1	65 0	67 0
12 x 1	67 6	69 6
14 x 1	69 6	71 6
16 x 1	70 6	72 6
18 x 1	72 0	74 0

For parcels 500 super or over, special prices.

MOULDINGS.

All Red Pine Mouldings in even lengths only.

MOULDINGS (Special).—Any other pattern of Mouldings made to detail, apart from stock designs, will be charged selling rates for nominal size of timber, plus following charges for sawing and machining:—

Of one pattern—

5,000 ft.	at 2/	per 100
2,000 ft. and under 5,000 ft.	at 4/	per 100
400 ft. and up to 2,000 ft.	at 5/	per 100
200 ft. and up to 400 ft.	at 7/6	per 100
Under 200 ft.	at a minimum charge of	12/6

ARCHITRAVES—	Red Pine. s. d.	Deal. s. d.
4 in., per 100 ft. run	28 6	25 0
5 in., per 100 ft. run	34 0	30 0
6 in., per 100 ft. run	50 0	40 0
ARCHITRAVE BLOCKS—		
4 in., per ft. run	0 4½	0 4½
5 in., per ft. run	0 6½	0 6
6 in., per ft. run	0 7½	0 6½

Customers visiting our Mills are driven to and from Railway Station. Ring Port 2039.

REID BROS., LIMITED

17 FLINDERS STREET (near G.P.O.)

'Phone—PORT 2039 (Five lines).

	PORT or Red Pine.	TOWN. Deal.
BACK MOULDINGS—		
2½ in., per 100 ft. run	20 6	18 6
3 in., per 100 ft. run	24 6	21 6
BOLECTION and BASE MOULDING—		
2½ in., per 100 ft. run	21 0	19 0
3 in., per 100 ft. run	24 6	22 6
3½ in., per 100 ft. run	30 0	27 0
CABINET MOULDING—		
Up to 1,000 ft.—		
¾ in., per 100 ft. run	6 0	5 6
1,000 ft. or over, 6d. less.		
CAP MOULDINGS and HANDRAILS—		
4 x 3, per ft. run	0 9	0 8½
4½ x 3, per ft. run	0 10	0 9½
5½ x 3, per ft. run	1 1	1 0
Under 4 x 3, and over 4½ x 4, per ft.	1 0	0 10
CAPPING: Oregon—		Oregon.
4 x 1½, per ft. run		0 3½
4 x 2, per ft. run		0 4½
4½ x 1½, per ft. run		0 4½
4½ x 2, per ft. run		0 5
5 x 1½, per ft. run		0 4½
5 x 2, per ft. run		0 5½
5½ x 1½, per ft. run		0 5
5½ x 2, per ft. run		0 6½
CASING and Capping: Electric Light—		Deal.
1½ in., per 100 ft. run; up to 10,000 ft.		10 6
1¾ in., per 100 ft. run; up to 10,000 ft.		11 3
Orders for 10,000 ft., delivery to be taken within one month from receipt of order: 1½ in., 9/6; 1¾ in., 10/6.		
DOOR MOULDING—	Red Pine.	Deal.
1¼ in., per 100 ft. run	7 0	6 6
1½ in., per 100 ft. run	10 0	9 0

We stock Guttering, Ridging, and Down Piping.

ORDERS WILL BE APPRECIATED

July 1, 1926.

PORT or TOWN.

FASCIA: Oregon only (in lengths up to and including 30 ft.), 31-40 ft., ½d. per ft. extra; over 40 ft., 1d. per ft. extra—

7 x 1¼, per ft. run	0 4½
7 x 1½, per ft. run	0 5
9 x 1½, per ft. run	0 6½
9 x 2, per ft. run	0 8½
11 x 1½, per ft. run	0 8
11 x 2, per ft. run	0 10½

MATCHBOARDS: VJ or Beaded—

	Red or Sug. Pine.	Oregon
4 x ½, per 100 ft. run	21 6	17 6
4 x ⅝, per 100 ft. run	28 0	24 0

1,000 ft. lots, 1/- off above rates.

PICTURE RAIL—	Red Pine.	Deal.
2½ x ⅞, per 100 ft. run	21 0	19 6
3 x ⅞, per 100 ft. run	28 6	25 0

QR.-ROUND BEAD., & SCOTIA—

½ in., per 100 ft. run	6 0	5 9
¾ in., per 100 ft. run	9 3	8 6
1 in., per 100 ft. run	10 6	9 6
Reeded Cover Mould, 2 x ⅜	10 0	9 0

For parcels 1,000 ft. or over, 6d. 100 ft. less.

SASH BARS—	Red Pine. s. d.	Deal. s. d.
1½ in., per 100 ft. run	12 0	11 0
1¾ in., per 100 ft. run	15 6	14 6

For parcels, 300 ft. or over, 2/ 100 ft. less.

SCOTIA—

1½ in., per 100 ft. run	13 6	12 6
1½ in., per 100 ft. run	17 0	15 3
2 in., per 100 ft. run	28 0	25 6

For parcels 1,000 ft. or over, 9d. 100 ft. less.

Joinery.—To save delay, place your orders as soon as you decide to build.

REID BROS., LIMITED

17 FLINDERS STREET (near G.P.O.)
'Phone—PORT 2039 (Five lines).

	PORT or TOWN.	
SASH STOCK—	Red Pine.	Deal.
2¼ x 1½ styles, per ft. run	0 3½	0 3
2¼ x 1¾ styles, per ft run	0 4	0 3½
4½ x 1½ bottom rail, per ft. run	0 6	0 5½
4½ x 1¾ bottom rail, per ft. run	0 7½	0 7½
2 x 1½ meeting rail, per ft. run	0 3	0 2½
2 x 1¾ meeting rail, per ft. run	0 3½	0 3½
SKIRTING and PLINTH—		
7 x 1, per 100 ft. run	46 6	43 0
8 x 1, per 100 ft. run	54 6	47 6
9 x 1, per 100 ft. run	60 6	52 6
11 x 1, per 100 ft. run	72 6	66 0
12 x 1, per 100 ft. run	80 0	—
SOFFIT BATTENS—	Red Pine.	Oregon.
2 x ½, per 100 ft. run	9 6	7 0
STOP BEADS and PARTING BEADS—	Red Pine.	Deal.
1⅛ x ⅝ Stop Beads	9 6	8 6
⅞ x ⅝ Stop Beads	8 6	7 6
⅞ x ⅝ Parting	6 6	6 3
1⅛ x ⅝ Parting	7 9	7 0
1,000 ft. or over, 6d. per 100 ft. less.		
TRELLIS LATHS—	Unplaned. s. d.	Planed. s. d.
1¼ x ¼ Oregon, per 100 ft. run	4 6	5 3
1¼ x ¼ Red Pine, per 100 ft. run	5 0	5 9
WINDOW NOSING—	Red Pine.	Deal.
2 in., per 100 ft. run	22 6	21 0
3 in., per 100 ft. run	33 6	30 0
4 in., per 100 ft. run	45 0	39 0

All intermediate sizes taken as the next largest size.

Where Oregon prices not stated, prices to be 10 per cent. less than Deal.

When ordering give shortest lengths and narrowest widths to avoid waste, and avoid giving fixed lengths as far as practicable.

ORDERS WILL BE APPRECIATED

July 1, 1926.

LIST OF JOINERY PRICES.

BOX FRAMES AND SASHES: Unglazed, without Weights, Cords, or Fasteners—
Red Pine (Deal and Oregon 1/6 each less).

	1½ in. s. d.	1¾ & 2 in. s. d.
36 x 36	52 6	53 6
34 x 34	51	52 6
34 x 32	51 6	52 6
32 x 32	50 6	51 6
32 x 30	48 6	49 6
30 x 30	48 6	49 6
30 x 28	48 0	49 0
32 x 16	49 0	50 6
30 x 16	48 0	49 0
28 x 16	47 6	48 6
30 x 15	48 0	49 0
30 x 14	47 6	48 6
28 x 14	46 0	47 0
24 x 24	38 0	
20 x 20	36 0	

MULLION BOX FRAMES—	Red Pine.	Deal.
32 x 20 Glass x 1½ Sashes, with 9 in. panelled pier, 16-oz. glass	132 6	129 6
32 x 20 Glass x 1½ Sashes, with 9 in. panelled pier, 21-oz. glass	139 6	136 6

1¾ in. Sashes, 4/ per Window extra.
Sizes over 32 x 20 Glass at 4/ per ft. daylight extra.
Sizes under above, same price.

Unglazed, without Weights, Cords, or Fasteners—

1½ in., at	95 6
1¾ in., at	100 0

Larger sizes at 2/ per ft. daylight extra.
Deal or Oregon, 3/ each less.

We Stock Fibrous Plaster Ceilings.

REID BROS., LIMITED

17 FLINDERS STREET (near G.P.O.)
'Phone—PORT 2039 (Five lines).

MANTELPIECES.



Send for our Catalogue and Price List.

ORDERS WILL BE APPRECIATED

July 1, 1926.

BOX FRAMES AND SASHES, all Lights Glazed and hung with Weights, Cords, and Fastener, with Sill up to 6 in.—

16-oz. Glass.

Deal or Oregon—		1½ in.		1¾ in.		2 in.	
		s.	d.	s.	d.	s.	d.
A. 2 Lights	36 x 36 glass..	84	0	85	6	86	0
B.	34 x 34 glass..	81	0	82	6	83	0
B.	34 x 32 glass..	77	6	79	0	79	6
B.	32 x 32 glass..	75	0	76	6	77	0
C.	32 x 30 glass..	73	6	75	0	75	6
C.	30 x 30 glass..	70	6	72	0	72	6
C.	30 x 28 glass..	67	6	69	0	69	6
B. 4 Lights	32 x 16 glass..	69	6	71	0	71	6
C.	30 x 16 glass..	68	0	69	6	70	0
C.	28 x 16 glass..	67	0	68	6	69	0
C.	30 x 15 glass..	67	0	68	6	69	0
C.	30 x 14 glass..	65	0	66	6	67	0
C.	28 x 14 glass..	63	6	65	0	65	6
D. 2 Lights,	24 x 24 glass..	57	0	58	6	59	0
D.	20 x 20 glass..	51	0	52	6	53	0

A—For 21-oz. glass, 12/ extra.
B—For 21-oz. glass, 5/ extra.
C—For 21-oz. glass, 4/6 extra.
D—For 21-oz. glass, 4/ extra.

All intermediate sizes charged at the next higher rate. With Sill for Wood-and-Iron House, 1/6 each extra.

SASHES ONLY: Red Pine, Deal, or Oregon—

1½ in. Sashes, glazed, under 12 ft. super, 16-oz. glass, 2/6 per ft. super; 21-oz. glass, 2/8, with a minimum of 7/6 per sash; 1¾ in. Sashes, glazed, 12 ft. and up to 15 ft. super, 16-oz. glass, 2/4 per ft. super; 21-oz. glass, 2/6; over 15 ft. super, special prices.

We do Turnery Work.
We can supply Boxes in Shooks or made up.

REID BROS., LIMITED

17 FLINDERS STREET (near G.P.O.)

'Phone—PORT 2039 (Five lines).

SASHES ONLY:—Continued.

1½ in. Sashes, unglazed, under 12 ft. super, 1/3 per ft. super; 12 ft. and up to 15 ft. super, 1/1½ per ft. super; with a minimum of 5/ per sash.

Over 15 ft. super, special prices.

1¾ or 2 in. Sashes, ½d. per ft. super extra.

CASEMENT SASHES and FRAMES:

Hung with Hinges and Fastener—	Deal. s.	d.
6 Lights, 10 x 8, 16-oz. glass	42	0
10 x 12, 16-oz. glass	44	6
10 x 14, 16-oz. glass	45	6
10 x 16, 16-oz. glass	46	6
12 x 14, 16-oz. glass	47	6
12 x 16, 16-oz. glass	49	6

8 Lights, 6/6 on price of 6 Lights.

All intermediate sizes charged at next higher rate.

All sizes over 12 x 16 charged at 4/ per foot super face on sashes.

Oregon Frames and Sashes 2/ off above prices.

Packing Box Frames and Sashes, also Casement Frames and Sashes, 3/ each extra charged whether Sashes are packed separately or in Frames.

DOORS: B. and B.—

ft.	in.		ft.	in.		in.	s.	d.
6	6	x	2	6	x	1½	39	0
6	8	x	2	8	x	1½	39	0
6	8	x	2	8	x	1¾	48	0
6	10	x	2	10	x	1½	44	6

AFTER HOURS RING:—

For Orders—J. B. Walker.	Semaphore	232.
„ J. Biglands.	Central	8842.
Mill Foreman (Residence).	Semaphore	427.
Manager (Residence).	Central	5452.

ORDERS WILL BE APPRECIATED

July 1, 1926.

DOORS: B. and B.—Continued.

6	10	x	2	10	x	1¾	49	0
7	0	x	3	0	x	1½	48	0
7	0	x	3	0	x	1¾	51	6
7	0	x	3	0	x	2	54	0

Extra for Bead and Flush, 3/ per door.

DOORS: Bolection Mould—

ft.	in.		ft.	in.		in.	s.	d.
6	8	x	2	8	x	1½	45	6
6	8	x	2	8	x	1¾	52	0
6	10	x	2	10	x	1½	51	6
6	10	x	2	10	x	1¾	54	0
6	10	x	2	10	x	2	58	0
7	0	x	3	0	x	1½	52	6
7	0	x	3	0	x	1¾	61	6
7	0	x	3	0	x	2	61	0

Extra for Raised Panels, 5/ per door.

DOORS: D.M.—

6	6	x	2	6	x	1¼	32	9
6	6	x	2	6	x	1½	34	0
6	6	x	2	6	x	1¾	38	9
6	8	x	2	8	x	1¼	33	6
6	8	x	2	8	x	1½	34	0
6	8	x	2	8	x	1¾	42	0
6	8	x	2	8	x	2	46	0
6	10	x	2	10	x	1½	39	6
6	10	x	2	10	x	1¾	43	0
6	10	x	2	10	x	2	47	6
7	0	x	3	0	x	1½	42	0
7	0	x	3	0	x	1¾	47	0
7	0	x	3	0	x	2	49	6

For "Useful Information" see Back Pages.

REID BROS., LIMITED

17 FLINDERS STREET (near G.P.O.)

'Phone—PORT 2039 (Five lines).

DOORS: Three-Panel Empire, D.M., or Stop Chamfered.
Top open for Glass or Top Panel; Red Pine—

ft.	in.		ft.	in.		in.	s.	d.
6	6	x	2	6	x	1¼	32	6
6	6	x	2	6	x	1½	32	6
6	6	x	2	6	x	1¾	37	6
6	8	x	2	8	x	1¼	32	6
6	8	x	2	8	x	1½	33	0
6	8	x	2	8	x	1¾	42	0
6	8	x	2	8	x	2	46	0
6	10	x	2	10	x	1½	40	0
6	10	x	2	10	x	1¾	43	0
6	10	x	2	10	x	2	47	0
7	0	x	3	0	x	1¾	42	6
7	0	x	3	0	x	1¾	47	6
7	0	x	3	0	x	2	48	6

DOORS: Five-Panel—
Square edge, not moulded; if chamfered, or moulded, 2/ extra—

ft.	in.		ft.	in.		in.	s.	d.
6	6	x	2	6	x	1¼	32	6
6	6	x	2	6	x	1½	32	6
6	6	x	2	6	x	1¾	37	6
6	8	x	2	8	x	1¼	32	6
6	8	x	2	8	x	1½	33	0
6	8	x	2	8	x	1¾	42	0
6	8	x	2	8	x	2	46	0

DOORS—
Half Glass, Margin Light, Unglazed—

ft.	in.		ft.	in.		in.	s.	d.
6	6	x	2	6	x	1¼	33	6
6	6	x	2	6	x	1½	35	6
6	8	x	2	8	x	1¼	35	0
6	8	x	2	8	x	1½	37	6
6	8	x	2	8	x	1¾	40	6

Four-Light Doors, 2/ less.

Prompt Delivery Assured by our Motor Trucks.

ORDERS WILL BE APPRECIATED

July 1, 1926.

DOORS: Ledge—

ft. in.		ft. in.		in.	s.	d.	in.	s.	d.	in.	s.	d.
6 6	x	2 6	x	¾	14	0	⅞	15	6	1⅛	19	6
6 8	x	2 8	x	¾	16	0	⅞	17	0	1⅛	21	0
6 10	x	2 10	x	¾	17	6	⅞	18	6	1⅛	23	0
7 0	x	3 0	x	¾	18	0	⅞	19	0	1½	23	6

DOOR FRAMES—

Styles and Heads	Sills.	Oregon s.	d.	Deal. s.	d.	Jarrah, or Red Pine. s.	d.
4½ x 2	5 x 2	18	0	22	0		
4½ x 2	6 x 3	19	6	23	6		
4½ x 2	9 x 3	21	6	25	6		
4½ x 3	6 x 3	23	6	26	0	28	0
4½ x 3	9 x 3	25	0	27	6	29	6
4½ x 3	12 x 3	27	6	30	0	32	0
5½ x 3	9 x 3	27	6	32	6	33	6
5½ x 3	12 x 3	30	0	34	9	36	0

Extra for fanlight opening, 9/6.

Fanlight, not glazed, 7/; Glazed with ordinary glass, 9/6 for 16-oz.; 11/6 for 21-oz.

Any intermediate sizes next higher rate.

FRONT DOOR FRAMES—

For Sidelight and Fanlight Opening (up to 5 ft. wide overall)—

Styles and Heads	Sills.	Oregon. s.	d.	Jarrah, or Red Pine. s.	d.	Deal. s.	d.
4½ x 3	9 x 3	93	0	106	6	101	0
4½ x 3	12 x 3	96	6	110	0	104	0
5½ x 3	9 x 3	100	0	115	0	113	0
5½ x 3	12 x 3	103	6	118	0	116	0

Best Mouldings of any Pattern Run to Order.

REID BROS. LIMITED

17 FLINDERS STREET (near G.P.O.)

'Phone—PORT 2039 (Five lines).

Fanlight, not glazed, 7/ extra.
Fanlight, glazed with ordinary glass, 9/6 for 16-oz. glass, 11/6 for 21-oz. glass.
Front Door Frames, without sill, 7/6 each less.
Over 5 ft. overall wide, 6d. increase for every 3 in. in width.

SKELETON JAMB LININGS, with Red Pine Stops—

		Oregon. s.	d.
9 in wall	per set	25	0
12 in. wall	per set	30	0
14 in. wall	per set	32	6

SOLID DOOR JAMBS, with Stops—

		s.	d.
For 4½ in. Walls, with—			
5½ x 1½ Oregon	per set	12	0
5½ x 1½ Red Pine	per set	16	6

WINDOW LININGS, including Window Board—

		Oregon or Deal. s.	d.
11 in. wall	per set	10	6
12 in. wall	per set	12	6
14 in. wall	per set	14	0
16 in. wall	per set	18	0
18 in. wall	per set	22	0

These prices apply to measurement—21 ft. super daylight measurement and under. All Linings over 21 ft super, 9d. per ft. super.

Our Joinery Work is recognised by Architects as the best that is made

ORDERS WILL BE APPRECIATED

July 1, 1926.

CARTAGE—

The Timber Merchants have decided to make the following charges, viz.:—

A charge of 4/6 per ton of 40 cubic feet, with a minimum of 1/6, applies to Adelaide and Suburbs, and Port Adelaide and Suburbs (excluding Port Adelaide Railway Station, which is to be 3/6 per ton, with a minimum of 1/6).

To Fulham, Lockleys, Underdale, Grange, and Henley Beach, Port Adelaide prices with a charge of 10/6 per ton of 40 cubic feet, with a minimum of 2/.

To Allenby Gardens, Findon, Beverley, and West Croydon, if delivered from Port Adelaide, 6/6 per ton of 40 cubic feet, with minimum of 2/, Railway Subway being the boundary. Deliveries Adelaide side of Railway Subway, Adelaide prices apply, plus Adelaide Cartage, viz., 4/6 per ton.

To Glenelg, Camden, Morphettville and Brighton, 12/6 per ton of 40 cubic feet on Port Adelaide prices.

To Seacliff, 15/ per ton of 40 cubic feet on Port Adelaide prices.

Minimum to Glenelg, Brighton, and Seacliff, 3/6.

To Beaumont, Blair Athol, Broadview, Brooklyn Park, Burnside, Cottonville, Edwardstown, Enfield, Gaza, Gepp's Cross, Glen Osmond, Glynde, Hampstead Heath, Hectorville, Heidelberg, Highbury, Kensington Gardens, Kilburn, Magill, Mitcham, Myrtle Bank, Netherby, Plympton,, Rosslyn Park, Sefton Park, Tranmere, and other places between 3 and 4 miles radius, as shown on Sands & McDougall's Map, 7/6 per ton of 40 cubic feet on Adelaide prices to be charged, with a minimum of 2/.

We stock First Quality H.P. Three-Ply.

REID BROS., LIMITED

17 FLINDERS STREET (near G.P.O.)

'Phone—PORT 2039. (Five lines.)

To Campbelltown, Clapham, Gilles Plains, Morialta, Paradise, Springbank, Waterfall Gully, West Mitcham, and places between 4 and 5 miles radius as shown on Sands & McDougall's Map, 10/ per ton of 40 cubic feet, with a minimum of 3/.

To Largs Bay, 6/6 per ton of 40 cubic feet on Port Adelaide Prices.

Largs Bay, north of tram line, 7/6 per ton. Osborne, 8/ per ton.

———:o:———

DRESSED TIMBER.

NOTE.—When ordering Dressed Timber state if size ordered is the size required when dressed both in thickness and width. Timber of standard thickness, such as 1, 1¼, 1½, 2 in. etc., will stand ⅛ in. less in thickness when dressed. Timbers of all kinds (excepting original cut), when sawn and dressed, finish ¼ in. less in thickness. Buyers should always remember that each saw cut takes out ⅛ in. and dressing also takes off ⅛ in.

When ordering, give shortest lengths, and narrowest widths to avoid waste, and avoid giving fixed lengths as far as practicable.

ORDERS WILL BE APPRECIATED

July 1, 1926.

USEFUL INFORMATION.

BRICKS.—About 1,000 bricks, with two bags of lime and one load of sand, are required for an ordinary Cottage Chimney; and 2,000 bricks, 3½ bags of lime, and 1½ loads of sand for a Double Chimney. About 1,000 bricks on an average, go to 3½ tons weight.

LIME.—From 15 to 16 bags to 1 ton weight.

CEMENT.—About 3½ cwt. to one cask or barrel.

PLASTER OF PARIS.—Per barrel, weighs about 2¾ cwt.

LATH and PLASTER.—100 square yards require 4 bags of lime, 3 yards of sand, 16 bundles of 4 ft. 6 in. American laths, 8 lbs. 1½-inch nails, and half bag of hair.

LATHS.—A bundle of 4 ft. 6 in. American laths covers 6½ square yards; a bundle of 4 ft. 6 in. ceiling laths covers 5 square yards.

OIL.—Oil weighs about 56 lbs. per 5-gallon drum.

PAINT.—One gallon of mixed paint weighs 18 to 20 lbs., and will cover from 40 to 50 square yards with one coat, according to surface; 1 lb. mixed paint will cover one square yard, three coats, or 90 lbs. to 100 square yards, three coats. Allow 4 lbs. mixed paint to every foot run of 11 ft. high walls for three coats. Paint materials required for 100 square yards: ¼ cwt. white lead, 2 gallons of oil, 1 quart turps, 7 lbs. dryers, 3 lbs. putty, and colours as desired, for three coats. One gallon of Glassard Oil will cover 50 square yards, two coats, or 2 gallons per 100 square yards, two coats.

NAILS.—1 lb. 2-inch brads, 1¼ lbs. 2½-inch, 2 lbs. 2½-inch to every 100 feet of flooring; allow ½ lb. 1½-inch nails to every 100 feet of lining; 1 lb. of 2-inch nails to every 300 feet of weather-boards.

HOW TO MEASURE SPOUTING, RIDGING, and DOWNPIPE.—Spouting: From back to front, inside head. Ridging: From one edge to the other. Downpipe: Actual diameter.

DRILLING GLASS.—Dr. Ryan, chemist, of the Polytechnic Institution, says:—"If a solution of camphor in turpentine be applied to the usual cutting instruments, to moisten, instead of emery or sulphate of copper, glass may be cut and bored just as easily as metals or other substances."

For Quotations 'Phone Port 2039—5 Lines.

REID BROS., LIMITED

17 FLINDERS STREET (near G.P.O.)

'Phone—PORT 2039. (Five lines.)

USEFUL INFORMATION.

COVERING CAPACITY AND WEIGHT OF TILES.

131 Tiles cover 100 super feet of roof.
100 super feet of Tiling weighs 780 lbs.
90 lineal feet of 2 in. x 1 in. battens to one square of roofing.
Half-pound of 20g. copper wire to one square of roofing.

SLATES (ROOFING) APPROXIMATE.

Actual number of Slates required to cover one square (100 square feet).

Description.	Size.	2 in Lap.	3 in. Lap.	4 in Lap
Duchess	24 x 12	109	115	120
Countess	20 x 10	160	169	180
Vis-Countess	18 x 10	180	192	205
Ladies	16 x 8	257	277	300

TO BUILDERS AND CONTRACTORS

BRICKWORK.

3800 9 x 4½ x 3 Bricks will build a rod of Brickwork.

816 sup. ft. of a 4½-inch Brick
408 „ „ 9 „ „
272 „ „ 14 „ „
204 „ „ 18 „ „
163 „ „ 22½ „ „

Will make a rod of Brickwork.

A rod of Brickwork contains 306 cubic feet.
1000 Fire Bricks weigh 3 tons 5 cwt. to 3 tons 7 cwt.
1000 Ordinary Bricks weigh 3 tons 15 cwt. to 4 tons.
About 5 casks Cement are required to build a rod of Brickwork, 3 parts of Sand to 1 of Cement; 7 casks if 2 of Sand to 1 of Cement.
About 3½ bags of Lime will build 1 rod of Brickwork.
A cubic yard of Sand weighs about 1 ton 10 cwt.
A cubic yard of Sandstone weighs about 2 tons 5 cwt.
A cubic yard of Trachite weighs about 2 tons 10 cwt.

ORDERS WILL BE APPRECIATED

July 1, 1926.

USEFUL INFORMATION.

TIMBER, &c.

Dead Weight for Railway Charges only.

Deals—				
as 9 x 3	No. of running feet	to	ton (20 cwt.)	350
Flooring—				
6 x 1½	,,	,,	,,	1557
6 x 1	,,	,,	,,	1750
6 x ⅞	,,	,,	,,	2000
6 x ¾	,,	,,	,,	2330
Matchboards—				
6 x ⅝	,,	,,	,,	2800
6 x ½	,,	,,	,,	3400
6 x ⅜	,,	,,	,,	4800
Weatherboards, single	,,	,,	,,	3100
Oregon	No. of super feet	,,	,,	790
V.D.L. Hardwood	,,	,,	,,	450
Jarrah	,,	,,	,,	400
Iron Bark	,,	,,	,,	310
Black Butt	,,	,,	,,	333
Shelving (American), 12 x ⅞		,,	,,	1050
6-feet Tasmanian Palings (Hobart)	No.	to	,,	650
5-feet Tasmanian Palings	,,	,,	,,	800
6-feet Tasmanian Palings (Launceston)		,,	,,	400
5-feet Tasmanian Palings	,,	,,	,,	500
Spruce Deals as 9 x 3	No. of running feet	to	,,	400
Kauri	No. of super feet	to	,,	600
Cedar	,,	,,	,,	600
Clear Pine	,,	,,	,,	900
Doors 6 ft. 8 in. x 2 ft. 8 in. x 1⅜ in.			No. to ton	55
Doors 6 ft. 8 in. x 2 ft. 8 in. x 1¾ in.			,,	70
Doors 6 ft. 6 in. x 2 ft. 6 in. x 1⅜ in.			,,	58
Doors 6 ft. 6 in. x 2 ft. 6 in. x 1¾ in.			,,	75

SUPERFICIAL FEET IN A BOARD OR PLANK

is known by multiplying the length by the breadth. If the board be tapering, add the breadth of the tow ends together, and take half their sum for the mean breadth and multiply the length by this mean breadth.

REID BROS., LIMITED

17 FLINDERS STREET (near G.P.O.)
'Phone—PORT 2039 (Five lines)

USEFUL INFORMATION.

TO COMPUTE THE CAPACITY OF A TANK.

SQUARE OR RECTANGULAR.—Multiply the length by the breadth and the product by the depth; the result multiplied by 6¼ (6.2321) will give the base and contents in gallons.

CIRCULAR.—Rule A—Multipry the circumference by itself and the product by half the height.

Example:—Circumference 20 ft., height 6 ft.

20 ft. x 20 ft. x 3 ft. 1,200 gals. approximate capacity.

Rule B.—Multiply the diameter by itself and the product by five times the height.

Example:—Diameter 6 ft., height 6 ft.

6 ft. x 6 ft. x 30 ft. equals 1,080 gals. approximate capacity.

Galvanized Iron – Corrugated.

Approximate number of sheets to a case (ordinary Corrugations) weighing about 10 cwt.

Length.	Gauges.					
	18	20	22	24	26	28
5 feet	42	53	66	83	116	132
6 feet	35	44	55	69	98	111
7 feet	30	38	47	59	84	95
8 feet	26	33	41	51	73	83
9 feet	23	29	36	45	65	74
10 feet	21	26	33	41	58	66
11 feet	19	24	30	38	54	62
12 feet	17	22	28	35	49	56

NOTE:—2 cwt. bundles contain approximately one-fifth of the above number of sheets.

ORDERS WILL BE APPRECIATED

July 1, 1926.

USEFUL INFORMATION.

Approximate Weight per Sheet in lbs. (based on above Table to nearest ¼ lb.).

Gauge.	5 ft.	6 ft.	7 ft.	8 ft.	9 ft.	10 ft.	11 ft.	12 ft.
18	26¼	32	37¾	43	49	53	58½	64 lbs.
20	21	25½	29½	34	38½	43	46½	51 ,,
22	17	20¼	24	27¼	31	34	37¼	40½ ,,
24	13½	16¼	19	22	25	27¾	29¾	32½ ,,
26	9½	11½	13½	15½	17¾	19¾	20¾	23 ,,
28	8¾	10	11¾	13¼	15¾	17	18¾	20 ,,

Cases of Lysaght's Brands of Corrugated Iron usually contain sheets in excess of the numbers given in above tables.

COVERING CAPACITY OF GALVANIZED CORRUGATED IRON.

One Ton of Galvanized Corrugated Iron has the following Approximate Covering Capacity:—

	24g. 3in. Cor.	26g. 3in. Cor.	26g. 1in. Cor.	28g. 1in. Cor.
Single Lap	1,600 sq. ft.	2,200 sq. ft.	2,327 sq. ft.	2,645 sq. ft.
Lap and half	—	2,000 sq. ft.	—	—
Double Lap	1,400 sq. ft.	1,900 sq. ft.	2,230 sq. ft.	2,535 sq. ft.

NOTE.—To ascertain the number of squares (10 ft. x 10 ft.) divide by 100.

To ascertain cost per square divide price per ton by number of squares.

SPRING HEAD NAILS.

One packet (100 nails) is usually allowed to one square of roofing.

REID BROS.. LIMITED

17 FLINDERS STREET (near G.P.O.)

'Phone—PORT 2039 (Five lines).

USEFUL INFORMATION.

WHITE ANTS.

White Ants will not touch timber soaked in Cooper's Powder Sheep Dip, and this can be proved by the official records of the Transvaal Agricultural Department. In March, 1906, some hundreds of pieces of wood, mostly deal, or equally susceptible to the ravages of these insects, were treated by the Entomogolist of the above Department with 126 different mixtures and buried in ground infested with white ants. They have been examined yearly and, on being dug up again after nearly three years and three months had elapsed only **SIX** forms of treatment were found to have been effective, of which one was the use of **COOPER'S POWDER DIP.** All these were arsenical preparations. It is well-known that Cooper's Dip possesses the following advantages over even other arsenical compounds, viz.:—It is cheap, obtainable everywhere, and absolutely uniform in strength.

When using Cooper's Powder Dip for preserving timber from white ants, mix at a strength of 1 pint of dip to 9 gallons of water, and soak the timber in it for 24 hours.

The Manager of Warralong Station, Port Headland, W.A., says:—

"Re using Cooper's Powder Dip and Oil as a protection against White Ants, we find that timber so treated is proof against the ravages of these pests. The method we use in mixing is to use boiled oil (raw would do), and to make the mixture into a paste first and then thin it down into the consistency of thick paint, and then paint all joints.

Most of the houses up here are built on blocks, and we find that if the bottom plates are well painted, it will prevent ants getting into the building."

ORDERS WILL BE APPRECIATED

July 1, 1926.

USEFUL INFORMATION.

MEASURING INACCESSIBLE DISTANCES

One of the simplest methods of measuring the distance between two points when an obstacle prevents a tape-line being stretched between is as follows:—To measure from A to B, put in a stake at C, so that the lines CA and CB clear the obstacle. Measure from C to A, then swing



round the tape-line and get a point E in line with C and A, and with the distance CE equal to CA. In a similar way, get the point D in line with C and B, and with the distance CD equal to CA. The length from D to E will be equal to the length from A to B.

REID BROS., LIMITED

17 FLINDERS STREET (near G.P.O.)

'Phone—PORT 2039. (Five lines.)

AFTER HOURS RING:—

For Orders—J. B. Walker.	Semaphore	232.
„ J. Biglands.	Central	8842.
Mill Foreman (Residence).	Semaphore	427.
Manager (Residence).	Central	5452.

MEMOS:

Jot down your Orders for us here:—

ORDERS WILL BE APPRECIATED

July 1, 1926.

WIRE NAILS.

WE CARRY LARGE STOCKS AND SUPPLY AT LOWEST RATES.

Gauge.	Original 1-cwt cases. Per cwt.	28 lbs., 1 size and 1 gauge. Per cwt.	Under 28 lbs. Per lb.
	s. d.	s. d.	s. d.
4 to 7	26 0	29 0	0 4
8	26 6	29 6	0 4
9	27 0	30 0	0 4
10	27 6	30 6	0 4
11	29 0	32 0	0 4½
12	29 6	32 6	0 4½
13	30 6	33 6	0 4½
14	33 0	36 6	0 5
15	36 6	39 6	0 5½
16	38 6	42 6	0 6

For Quotations 'Phone Port 2039—5 Lines.

We employ a large
Staff of skilled Joiners in
our modern and well-equipped
Joinery Works, which are
noted for consistently
excellent productions

CIRCULAR

RT ADELAIDE S.A. PORT ADELAIDE
L 9 - 6- JL 9 - 6-

Reid Brothers Limited
TIMBER & IRON MERCHANTS



NOTIFY CHANGE OF ADDRESS

MR. F. J. RICHARDSON
14 MONTROSE AVUE.
NETHERBY.

REID BROS.' NEW SHARES

WE BEG TO ADVISE THAT OF REID BROS.' NEW SHARES THE DIRECTORS HAVE SPECIALLY SET ASIDE A LIMITED NUMBER FOR DISPOSAL AMONG THE COMPANY'S CUSTOMERS.

Full particulars will be supplied on application.

Digitized by:

ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org
Australasia Chapter

**BUILDING
TECHNOLOGY
HERITAGE
LIBRARY**

https://archive.org/details/buildingtechnologyheritagelibrary

from the collection of:

Miles Lewis, Melbourne

funding provided by:

the Vera Moore Foundation, Australia